


HUNTING

TABLE OF CONTENTS

BIG BORE CALIBER	4
1782	4
1782 Gold Line	8
1782 Black Line	10
1782 GRS Bifrost	
1782 Classic PRO	14
1782 Classic	14
1782 German stock	16
1782 Thumbhole stock	16
1782 Exclusive coatings	
1782 Configurator	20
1782 Features	24
MEDIUM CALIBER	30
1771	30
1771 German stock	34
1771 Thumbhole stock	
1771 GRS Sporter	36
1771 DJV	
1771 Configurator	38
1771 Features	

SMALL BORE CALIBER/RIMFIRE	46
1761 HUNTING MODELS	46
1761 Thumbhole stock1761 Classic	
1761 Monte Carlo	52
1761 Whisper1761 Configurator - Hunting models	
1761 HUNTING SPORT MODELS	58
1761 MP R Multi Purpose Beavertail 1761 MS R Silhouette Sporter 1761 Features	58
1727 F	66
1727 F German stock	70
1727 F Configurator1727 F Features	

SOUND MODERATORS	78
Model OBM48, cal. 6,5 mm30 Model ANSCHÜTZ cal. 4,5 - 5,5 mm	
ACCESSORIES AND MERCHANDISE	82
Magazines Firing pins, bolt breeches,	84
trigger blades and guards	85
Bolt knobs and thread caps	86
Mounts and picatinny rails	87
StocksStock and	88
barrel accessories and cleaning	90
Transport	91
Clothing and Merchandise	
CUSTOM SHOP	94





ASSOCIATED WITH HUNTING

SINCE 1856

"Creativity" is the result of curiosity applied to a subject or task.

"When a new rifle is created at ANSCHÜTZ, there will have been dozens of creative moments and hundreds of decisions on the path to perfection. This can never be the work of just a single person - it is teamwork in perfection. Absolutely unthinkable without the curiosity and motivation of each and every co-worker!

Every one of them is a competence center at ANSCHÜTZ.

Even though we are justifiably very proud of the finished product: In principle, the route taken is the more important part. You can only achieve the goal yourself, in the process we always re-learn something and learn something new. The goal, however, sometimes has something final about it, and is thus "uncreative".

I would like to thank our employees for their creativity! And I would like to hope that you can detect how much creativity has been realised in our hunting rifles!"

Maximilian enschüb

Maximilian Anschütz

6. Generation





.243 Win. | 6.5 Creedmoor | 6,5 x 55 SE | .308 Win. | .30-06 | 8 x 57 IS | 9,3 x 62 | .300 Win. Mag.







1782

THE NEW DAY

The sky is reddening. Remnants of night-time grey, pale yellow. The morning dew hangs in the air and coats the wood on the hunting stand. Hoping for the first quarry.

An owl heard hours ago, a woodpecker hammers in the distance. The twilight is filled with waiting.

There! A branch moving against the wind! No rapid movement at all – not a word, no noise of any kind! Get your rifle. Time expands. Carefully change your position.

The game shows itself.

Aim. Release the safety catch silently, completely silently. Very good rifle! The correct choice. High-tech without pomp and grandeur, straightforward design, precise and rapid action. The eye looks through the telescopic sight, the finger on the trigger senses the two stage. Infinitely fine trigger adjustment. The stock radiates an intimate feeling and transfers to the body.

Waiting becomes concentration.

1782 GOLD LINE

EXCLUSIVE REFINEMENT, MAXIMUM DURABILITY

The 1782 Gold Line radiates elegance, individuality and impresses with its exclusive appearance. The gold-colored components are titanium nitrided (TIN). This optically very attractive titanium nitride is an all-round coating that has been tried and tested for decades thanks to its versatility and balanced properties. The attractive, golden color and the high abrasion resistance of this coating are ideal for the highly stressed components of the breech case, firing pin and trigger blade.

This exclusive overall package is rounded off with an elegant walnut bolt knob and premium wood grade stock, all of wich are included in the Gold Line scope of delivery. The 1782 Gold Line can be configured with any stock design, barrel length and caliber as a right hand version.





- 1 Non-slip rubber recoil pad
- 2 German stock, premium wood
- 3 Bolt handle lock
- 4 Sliding safety catch
- 6 Barreled action milled from solid with integrated Picatinny rail
- 7 ANSCHÜTZ Precision barrel
- 8 Barrel thread M15x1
- 9 Studs
- 10 Non-slip checkering

- 11 Match single stage trigger 5082 D, 1.100 g, with gold-colored TIN-coated trigger blade
- 12 Fast release magazine lever wich is integrated in the trigger guard
- 5 TIN coated, gold-colored breech case 13 3-Shot Magazin made of stainless steel (caliber .300 Win. Mag. 2-shot magazine)
 - 14 Gold-colored TIN-coated firing pin
 - 15 Serrated, gold-colored TIN-coated trigger blade
 - 16 Bolt knob made of beautiful grown walnut







1782 Gold Line configurations are also available in the wood grades Luxury and Meistergrade.




Shown: Model 1782 Gold Line, German stock in premium wood grade, caliber 8x57 IS, 470 mm barrel and barrel thread M15x1





The individual Gold Line components trigger blade, firing pin and breech case (right-hand versions only) can be configured with new orders in all stock versions and all wood grade options, so that you can also benefit from the exclusive look of a gold-colored component in the stock version of your choice. See pages 18-19 for more information on each Gold Line component.

1782 GOLD LINE PRODUCT INFORMATION






Single stage trigger 5082 D: factory set to 1.100 g



Total weight, depending on barrel length: 3.750 - 4.050 g



Two stage trigger 5082: factory set to 750 g adjustable from 750 - 1.200 g



Important: Barrel lengths depend on caliber, not all lengths are possible for all calibers. For more information see page 20-21.

Scope of delivery:

Model 1782 Gold Line configurations come with a 3-shot magazine (with caliber .300 Win. Mag. 2-shot), thread protector, sling swivels, transport rifle case MEGA Version II (length: 118cm), original test target and quality control card.

1782 BLACK LINE

UNIQUE BOLT MOVEMENT

The 1782 Black Line is characterized by deep black DLC (Diamond Like Carbon) coated components. With the Classic PRO stock made of beautiful walnut and the height-adjustable black comb, you get an elegant and timeless overall package that is rounded off with a robust driven hunt magazine. The breech case, the trigger blade and the bolt knob are DLC-coated. The DLC coating gives these components a surface with excellent sliding properties and incredible hardness. This combination makes these highly stressed system components robust and resistant, and at the same time gives the bolt movement its unique, silky smooth and brilliant characteristics!





- 1 Non-slip rubber recoil pad
- 2 Black, adjustable comb
- 3 Bolt handle lock
- 4 Sliding safety catch
- 5 Deep black DLC coated breech case
- 6 Barreled action milled from solid with integrated Picatinny rail
- 7 ANSCHÜTZ 470 mm Precision barrel
- 8 Barrel thread M15x1
- 9 Studs
- 10 Classic PRO stock made of oiled walnut

- 11 Non-slip checkering
- 12 Match single stage trigger 5082 D, 1.100 g with deep black DLC coated trigger blade
- 13 Fast release magazine lever wich is integrated in the trigger guard
- 14 5-Shot driven hunt magazine made of stainless steel (caliber .300 Win. Mag. 3-shot magazine)
- 15 Deep black DLC coated trigger blade
- 16 Deep black DLC coated bolt knob









1782 Black Line configurations are also available in the wood grades Luxury and Meistergrade.



Shown: Model 1782 Black Line, caliber .308 Win., 470 mm barrel and barrel thread M15x1.




1782 Black Line components

The individual Black Line components trigger blade, bolt knob and breech case can be configured for new orders at any time in other stock versions, so that you can also benefit from the uniquely smooth bolt movement in the thumbhole stock, for example. See pages 18-19 for more information to each Black Line component.

1782 BLACK LINE PRODUCT INFORMATION

Total length: 1.005 - 1.185 mm






Single stage trigger 5082 D: factory set to 1.100 g



Total weight, depending on barrel length: 3.690 - 3.985 g



Two stage trigger 5082: factory set to 750 g adjustable from 750 - 1.200 g



Important: Barrel lengths depend on caliber, not all lengths are possible for all calibers. For more information see page 20-21.

Scope of delivery:

Model 1782 Black Line configurations come with a 5-shot magazine (with caliber .300 Win. Mag. 3-shot), thread protector, sling swivels, transport rifle case MEGA Version II (length: 118cm), original test target and quality control card.

1782 GRS BIFROST

MADE FOR ANY SITUATION AND WEATHER

For friends of the modern synthetic stock. The Bifrost stock from the well-known stock manufacturer GRS is made of a fiberglass-reinforced composite material. Rubberized surfaces ensure a firm and secure grip when shooting. The SpeedLock 2.0 system allows the shooter to adjust the butt plate and cheek piece to his individual requirements and withstands any recoil without adjusting. Together with our high-precision 1782 barreled action, the result is a perfect and always reliable hunting companion, ready for the decisive moment.

GRS BIFROST



- Non-slip rubber recoil pad, adjustable in length
- 2 SpeedLock 2.0 System (push buttons) for adjusting the length of pull
- 3 Height-adjustable cheek piece for a relaxed head position. The cheek piece can be tilted sideways in 5° steps
- 4 SpeedLock 2.0 System (push buttons) for adjusting the cheek piece
- 5 Bolt handle lock
- 6 Sliding safety catch
- 7 Barreled action milled from solid with integrated Picatinny rail
- 8 ANSCHÜTZ Precision barrel
- 9 Barrel thread M 15x 1

- 10 Picatinny rail on the stock for mounting accessories
- 11 Sling swivel
- 12 GRS Bifrost stock made of fiberglassreinforced composite material
- 13 Rubberized surfaces ensure for a firm and secure grip
- 14 Match single stage trigger 5082 D, 1.100 g
- 15 Fast Release due to integrated magazine release lever in the trigger guard
- 16 3-Shot magazine made from stainless steel (caliber .300 Win. Mag. 2-shot magazine)
- 17 Stud for the mounting of accessories
- 18 Sling swivel attachment on both sides, sling swivel included





1782 GRS BIFROST PRODUCT INFORMATION

Total length: 995 - 1.175 mm

Picatinny-Rail

0 MOA pretilt
150-182 mm

Possible barrel lengths: 470 - 650 mm

650 mm, 4.215 g
600 mm, 4.130 g
580 mm, 4.100 g
Length of pull: 360 - 400 mm

Length of stock: 825 - 855 mm

470 mm, 3.920 g




Single stage trigger 5082 D: factory set to 1.100 g



Total weight, depending on barrel length: 3.920 - 4.215 g



Two stage trigger 5082: factory set to 750 g adjustable from 750 - 1.200 g



Important: Barrel lengths depend on caliber, not all lengths are possible for all calibers. For more information see page 20-21.

Scope of delivery:

The model 1782 GRS Bifrost is delivered, depending on the desired configuration, with sling swivels, transport rifle case Mega Version II (length 118 cm), original test target and quality control card.

1782 CLASSIC PRO

WITH ADJUSTABLE COMB

Tradition and modern combined. This classic stock made of fine walnut wood has bestseller potential. The adjustable comb can be adjusted by the shooter to obtain the correct height for the perfect line of sight. The 1782 Classic PRO is available for both right- and left-handed shooters at no extra charge.







- 1 Non-slip rubber recoil pad
- 2 Classic PRO stock with adjustable comb, made of oiled walnut
- 3 Bolt handle lock
- 4 Sliding safety catch
- 5 Hard-chromed fine-ground bolt with 6 locking lugs
- 6 Barreled action milled from solid steel with integrated Picatinny rail
- 7 ANSCHÜTZ Precision barrel

- 8 Barrel thread M15x1
- 9 Studs



- 10 Classic style stock, made of beautiful grown walnut
- 11 Match single stage trigger 5082 D, 1.100 g
- 12 Fast release magazine lever wich is integrated in the trigger guard
- 13 Fast release 3-shot magazine made from stainless steel (caliber .300 Win. Mag. 2-shot magazine)
- 14 Non-slip checkering

8

Shown: Model 1782 Classic PRO, caliber 9,3 x 62, 580 mm barrel and barrel thread M 15x1.




Shown: Model 1782 Classic, caliber 6,5 x 55 SE, 520 mm barrel and barrel thread M 15x 1.

1782 CLASSIC

WELL-BALANCED

The well balanced and ambidextrous oiled walnut stock. Looks traditional – looks good. For both right and left handed shooters. Straight-forward, effective, and well-balanced. Laser-cut, weather-resistant checkering for optimal grip. Recoil reducing no-slip recoil pad.

1782 MODELS PRODUCT INFORMATION



Scope of delivery:

Model 1782 configurations are delivered, depending on the desired configuration, with sling swivels, transport rifle case Mega Version II (length 118 cm), original test target and quality control card.

1782 GERMAN STOCK

BALANCED, AESTHETIC AND TIMELESS

Made from walnut from age-old forests, visually and functionally refined with a non-slip checkering. Hard and deformation-resistant, natural and individual. No stock is the same as any other. The rubber butt pad absorbs the recoil and holds the rifle securely in the shoulder when aiming.



1782 German stock

German style stock with bavarian cheek piece. This stock is a timeless and elegant masterpiece which completely satisfies in terms of ergonomics.



- 1 Non-slip rubber recoil pad
- 2 German style stock, made of beautiful grown walnut
- 3 Bolt handle lock
- 4 Sliding safety catch
- 5 Hard-chromed fine-ground bolt with 6 locking lugs
- 6 Barreled action milled from solid steel with integrated Picatinny rail
- 7 ANSCHÜTZ Precision barrel
- 8 Barrel thread M 15x 1

- 9 Studs
- 10 Thumbhole stock, made of beautiful grown walnut
- 11 Match single stage trigger 5082 D, 1.100 g
- 12 Fast release magazine lever wich is integrated in the trigger guard
- 13 Fast release 3-shot magazine made from stainless steel (caliber .300 Win. Mag. 2-shot magazine)
- 14 Non-slip checkering

Shown: Model 1782 German Stock.

caliber .30-06, 580 mm barrel and barrel thread M15x1.



Shown: Model 1782 Thumbhole stock. caliber 6.5 Creedmoor, 520 mm barrel and barrel thread M15x1.


1782 THUMBHOLE STOCK

A SYMBIOSIS OF STYLE AND FUNCTION

A futuristic design that incorporates the attributes of a classic. Quiet and precise stop. The trigger finger remains strain-free and movable; it doesn't have to support anything. As for the carefully selected and mature walnut wood: a gentle oil bath gives the stock its matt appearance and protects it from the elements.

1782 MODELS PRODUCT INFORMATION

Total length: 1.005 - 1.185 mm



adjustable from 750 - 1.200 g

barrel length: 3.600 - 4.050 a



Important: Barrel lengths depend on caliber, not all lengths are possible for all calibers. For more information see page 20-21.

Scope of delivery:

Model 1782 configurations are delivered, depending on the desired configuration, with sling swivels, transport rifle case Mega Version II (length 118 cm), original test target and quality control card.

1782 BARRELED ACTION REFINEMENTS

EXCLUSIVE COATINGS

Give your 1782 an individual design and choose your desired coating when ordering. Whether classic silver-colored hard chrome-plated (standard), deep black with high-strength and extremely smooth DLC coating or with the timelessly elegant gold-colored TIN coating. In addition, specially designed trigger blades and bolt knobs are available.



1782 Standard version

The 1782 models are always delivered with a silver-colored nitrated trigger blade, a black synthetic bolt knob and the hard-chromed, silver-colored breech case.



1782 Gold Line version

Refine your 1782 with elegant Gold Line components. Whether the trigger blade, breech case, firing pin or bolt knob - configure which components should be TIN-coated when ordering.



1782 Black Line version

Equip your 1782 with Black Line action components. Elegant, deep black DLC-coated components that turn your 1782 into a timelessly elegant overall package. Furthermore, the DLC coating noticeably increases the gliding ability of the breech case - for an incredibly smooth bolt movement.





ACCORDING TO YOUR WISHES!

1. STOCK



max. 45 mm	
	Also available as a left hand version at no extra charge







Classic - Right or left hand version		
Length of pull	370 - 380 mm	
Material	Walnut, oiled	
Wood grades (S) (P) (L) (M)		

Classic PRO - Right or left hand version		
Length of pull	370 - 380 mm	
Material	Walnut, oiled	
Wood grades (S) (P) (L) (M)		

Classic PRO - Black Line - Right or left hand version		
Length of pull	370 - 380 mm	
Material	Walnut, oiled	
Wood grades (S) (P) (L) (M)		

German stock - Right hand	version
Length of pull	370 - 380 mm
Material	Walnut, oiled
Wood grades (S) (P) (L) (M)	


Thumbhole stock - Right hand version		
Length of pull	370 - 380 mm	
Material	Walnut, oiled	
Wood grades (S) (P)		

GRS Bifrost - Right hand ver	rsion
Length of pull	360 - 400 mm
Material	Synthetics

	2. CALIBER	
	.243 Win. Number of grooves 6 Twist rate	
	6.5 Creedmoor Number of grooves 6 Twist rate	
	6,5 x 55 SE Number of grooves 4 Twist rate	
)	.308 Win. Number of grooves 4 Twist rate	
	.30-06 Number of grooves 4 Twist rate	
	8 x 57 IS Number of grooves 4	



Twist rate...... 10"/240 mm



Scope of delivery:

Your rifle-configuration, incl. transport rifle case MEGA Version II (length 118 cm), original test target and quality control card and a set of sling swivels 1".









3. BARREL LENGTH

470 mm (18.5 Inch) Barrel

470 mm barrel only with caliber .308 Win. / 8x57 IS

520 mm (20.5 Inch) Barrel

Length of barreled action710 mm

Muzzle diameter18 mm

580 mm (22.8 Inch) Barrel

600 mm (23.6 Inch) Barrel

600 and 650 mm barrel only with caliber .300 Win. Mag.

650 mm (25.6 Inch) Barrel

Length of barreled action840 mm
Muzzle diameter......18 mm

4. MUZZLE OPTION

Recessed muzzle

High-precision manufactured muzzle that is slightly recessed in the center.





Barrel thread M15x1 with thread protector

The barrel thread allows you to quickly and easily assemble a sound moderator or a muzzle brake.





5. TRIGGER



Match single stage trigger 5082 D

Factory set to 1,100 g, silver-colored nitrided and non-slip serrated trigger blade, versatile adjustable.



Match two stage trigger 5082

Factory set to 750 g, adjustable by an authorized gunsmith from 750 - 1,200 g, silver-colored nitrided and non-slip serrated trigger blade with versatile adjustment.



1782 CONFIGURATOR

ACCORDING TO YOUR WISHES!

6. MAGAZINE



1782 Magazine, Standard

3-Shot magazine made of stainless steel, for caliber .300 Win. Mag. 2-shot



1782 Driven hunt magazine

5-Shot magazine made of stainless steel with synthetic magazine base, for caliber .300 Win. Mag. 3-shot

7. WOOD GRADES

Wood grade Standard (S)*



Wood grade Premium (P)*



Wood class Luxus (L)*



Wood grade Meistergrade (M)*



8. BOLT KNOB



Standard

Made of high strength synthetic, 25 mm diameter, black.



Walnut

Made of walnut wood, 20 mm diameter.



Walnut

Made of walnut wood, 25 mm diameter.



Steel

Made of blued steel, 25 mm diameter.



Black Line

Deep black, DLC (Diamond Like Carbon) coated, 25 mm diameter.



Gold star

With knurled checkering, gold lines and elegant gold star, 25 mm diameter.



Checkering and silver lines

With knurled checkering and elegant, timeless silver lines, 25 mm diameter.



Checkering and gold lines

With knurled checkering and elegant, timeless gold lines, 25 mm diameter.



Silver lines

With elegant, timeless silver lines, 25 mm diameter.



Gold lines

with elegant, timeless gold lines, 25 mm diameter.



Checkering

With knurled checkering, timelessly elegant in black, 25 mm diameter.



APR

For fast repeating, with non-slip grooves, made of high-strength aluminum. Length 40 mm, \emptyset 22 mm.

^{*}All wood grades shown are only examples. Wood is a natural product. Deviations in grain, wood structure and color within the ANSCHÜTZ wood quality grades are possible. The availability of the wood grades depends on the respective stock design. Further information at www.anschuetz-sport.com



9. THREAD CAP

When selecting the barrel with thread.





Standard

For barrel thread M15x1, made of blued steel with knurled checkering.





Silver lines

For barrel thread M15x1, made of blued steel with an elegant and timeless silver lines and knurled checkering.





Gold lines

For barrel thread M15x1, made of blued steel with an elegant and timeless gold lines and knurled checkering.

10. TRIGGER BLADE



Standard

Silver-colored, nickelplated trigger blade with non-slip serrations.



Gold Line

Gold-colored TIN-coated trigger blade with non-slip serrations, the eye-catcher on your 1782.



Black Line

Deep black DLC-coated trigger blade without serrations, the simple but elegant detail on your 1782.



Gilded

Gold-coated trigger blade without serrations, an exclusive and luxurious highlight for your 1782.

11. BREECH CASE



Standard, for right and left-hand versions

Silver-colored, hard chrome-plated, breech case, classic and timeless.



Gold Line, for right and left-hand versions

Gold-colored TIN-coated, highest abrasion resistance, luxurious look.



Black Line, for right and left-hand versions

Deep black DLC-coated breech case with maximum gliding properties for an incredibly smooth bolt movement

12. FIRING PIN



Standard

Made of high-strength steel, classic and timeless.



Gold Line

Gold-colored TIN-coated firing pin made of high-strength steel, an extraordinary addition for your 1782.







1782

COMPLEX AND YET SIMPLE

Nothing convinces one more quickly and substantially than reduction, simplicity, purism - where nothing distracts and everything is pure concentration, every optical effect, every function. Such as with the ANSCHÜTZ centerfire hunting bolt-action rifle 1782. A hunting rifle that, in essence, consists purely of wood and steel. Unpretentious and simple.

It is only with familiarization that one discovers the complexity of the 1782, and is amazed by its precision of modern engineering. Only then does the admiration increase, the owner's pride radiates in the unpretentious yet highly-complex rifle in his hands.


The 1782, a rifle that radiates calm and imparts competence. Welcomed attributes, so important during the hunt.

When we go hunting.

1782 ACTION

MADE TO WITHSTAND

Barreled action made from steel. Purity and quality - classically blued. Securely mated to the stock for outstanding shooting performance. Sturdy and resistant to heat and cold. Highly-precise surfaces that display elegance in design and allow the bolt to slide internally without any resistance. A reliable companion with unmatched precision and function. Timeless perfection! The integrated Picatinny rail enables flexible, simple and solid rifle scope mounting - even with attachments.



Bolt handle lock inactive

Bolt handle lock active

1782 BOLT MOVEMENT



MOVING, SILKY SOFT, PRECISE, QUICK

A bolt movement that never fails to impress Hard-chromed bolt, fine-ground for silky-soft repeating. Corrosion-protected Two-row six locking lugs - a reliable, stable detail for the highest level of safety. On request available with gold-colored TiN or deep black DLC coating.

ANSCHÜTZ Precision barrel

Barrel thread M 15x1 with thread protector



1782 MAGAZINE

SIMPLE HANDLING, RAPID EJECTION

The magazine holds three cartridges, is made from sturdy stainless steel and is thus insensitive to dust, dirt and water. Convenient handling of the magazine as a result of the handy magazine base.

The magazine, which is located safely and securely in the magazine guide, is particularly easy to remove. Slight pressure with your index finger on the magazine release lever and the magazine slides out of the magazine guide!

Fast Release!

1782 Magazines available as 3-shot or 5-shot driven hunt magazines. For caliber .300 Win. Mag. 2-shot or 3-shot.

1782 PRECISION

ANSCHÜTZ GUARANTEED

Before a 1782 leaves our factory in Ulm, each rifle is checked for shooting and safety; and then, the repeater receives the official proof house seal.

Before this can happen, we have already manufactured the 1782 so precisely, and assembled it so meticulously, that we are able to give each rifle a guarantee to take with it to the customer -

the ANSCHÜTZ guarantee of precision!

It means that: Five shots, one after the other, will be a maximum of 1 MOA apart (center to center). In other words: The centers of the hits on the target are no more than 29 mm apart from each other!

For the following calibers, we guarantee, for 5 shots, maximum group sizes* of 1 MOA.

.243 Win. | 6.5 Creedmoor | 6,5 x 55 SE .308 Win. | .30-06 | 8 x 57 IS | 9,3 x 62 | .300 Win. Mag.




1782 TRIGGER

PEAK OF THE ANSCHÜTZ COMPETENCE

Precision and refinement from high-performance sports - in summer and winter. Extremely wide adjustment range for the two stage and trigger weight. The location in the rifle with the decisive moment - high-precision parts in harmony in the tightest of spaces. For a single task! The perfect harmonization between man and rifle. Unparalleled.

There is nothing better.

- Trigger available as match single stage trigger 5082 D, factory-set to 1.100 g, or as match two stage trigger, factory-set to 750 g, adjustable by your gunsmith from 750 - 1.200 g
- Ergonomic and silent safety catch operation
- The trigger blade can be moved and swiveled



1782 THE STOCKS

MAKE EACH RIFLE UNIQUE

Due to its qualities, Walnut is chosen from age old forests, then elegantly sculpted to form a balance between beauty and functionality with non slip checkering. Every stock rewards the senses, all are unique and distinctive.

The rubber butt pad absorbs the recoil and holds the rifle securely in the shoulder when aiming.

- Oiled walnut
- Solid aluminum action carrier with additional recoil lug for precise and sturdy bedding of the steel barreled action

V-Beddina

- V-Bedding, an important guarantee for the overwhelming shooting performance
- Magazine release lever integrated in the trigger guard





Action screw

Recoil lug

V-Bedding

Action screw







EINFACH **EINS** WERDEN

UNCOMPROMISING THE BEST FOR TWO WORLDS





In our world where digital is the main thing, craftsmanship and experience almost seem to be outdated. ANSCHÜTZ guarantees to be always uncompromisingly traditional – but still act with the trend of the modern world! Ideas are our "software"; experience is carying us into the future. Values are associated with purpose; we're experts in producing excellent firearms for exacting shooters. So you can proudly say:

My ANSCHÜTZ

1771

HIGH-TECH MASTERPIECE!

OK. We recognize that calling the 1771 a "high-tech masterpiece" sounds a lot like marketing speak and like we're promoting something. But how else could we describe a rifle that

- hits the target with fantastic precision;
- has an incredibly soft and extremely quick-to-repeat bolt movement;
- works reliably in all wind and weather conditions;
- is the ideal rifle for both hunting and target shooting: Additionally, it's also perfect for training in hunting schools and for use as a training firearm or in a shooting simulator!

So we thought all over that again, before finally realizing: That's right, its really a "masterpiece". But we like also calling it simply: the **ANSCHÜTZ 1771!**

1771 GERMAN STOCK

BALANCED, AESTHETIC AND TIMELESS

Made from walnut from age-old forests, visually and functionally refined with a non-slip checkering. Hard and deformation-resistant, natural and individual. No stock is the same as any other. The rubber butt pad absorbs the recoil and holds the rifle securely in the shoulder when aiming.



bavarian cheek piece.



- 1 Slip resistant rubber butt pad
- 2 German style stock, made of oiled walnut
- 3 Bolt handle lock
- 4 Sliding safety catch
- 5 Fine-ground bolt with locking lugs
- 6 Picatinny rail, assembled in the factory
- 7 ANSCHÜTZ Precision barrel
- 8 Barrel thread M15x1
- 9 Studs

- 10 Non-slip checkering
- 11 Single stage trigger 5097/2D, 1.000 - 1.700 g, factory set at 1.200 g
- 12 Magazine release lever
- 13 Magazine easy to exchange, made of stainless steel
- 14 Ergonomic thumbhole stock, made of beautiful grown walnut
- 15 Steep pistol grip with non-slip checkering
- 16 Match two stage trigger 5098/71, 250 450 g, factory set at 300 g

Shown: Model 1771 German stock, caliber .223 Rem., 586 mm barrel and M15x1 barrel thread.



Shown: Model 1771 Thumbhole stock, caliber .17 Hornet, 510 mm barrel and barrel thread M15x1.


ANSCHÜ


1771 THUMBHOLE STOCK


A SYMBIOSIS OF STYLE AND FUNCTION

A futuristic design that incorporates the attributes of a classic. Quiet and precise stop. The trigger finger remains strain-free and movable; it doesn't have to support anything. As for the carefully selected and mature walnut wood: a gentle oil bath gives the stock its matt appearance and protects it from the elements.

1771 MODELS PRODUCT INFORMATION







Single stage trigger 5097/2D: factory set at 1.200 g adjustable from 1.000 - 1.700 g

Single stage trigger 5097/2D Tuning: factory set at 500 g adjustable from 450 - 650 g

> Two stage trigger 5098/71: factory set at 300 g adjustable from 250 - 450 g

Scope of delivery:

Model 1771 configurations are delivered, depending on the desired configuration, with 3, 4 or 5-shot magazine (.17 Hornet 5-shot, .22 Hornet 3-shot, .222 Rem./.223 Rem. 4-shot), sling swivel, transport rifle case MEGA Version II (length 118 cm) and original test target and quality control card.

1771 GRS SPORTER

DETAILS WITH THE POWER OF DIFFERENCE

An exceptional stock, built in Norway. Ergonomics to perfection. Equipped with details that let you hit even safer. Adjustable butt plate for shooting from standing, kneeling, lying down. Vertically adjustable cheek piece for a relaxed neck. Transition zone between sport and hunting: It fulfills the needs of both areas.

The cheek piece and butt plate can be adjusted quickly and easily with the SpeedLock 2.0 system, depending on the aiming and shooting position.





- Slip resistant rubber butt pad, adjustable in length
- 2 SpeedLock 2.0 system (push button) for adjusting the butt plate
- 3 Height-adjustable cheek piece for a relaxed head position. The cheek piece can be tilted sideways in 5° steps.
- 4 SpeedLock 2.0 system (push button) for adjusting the cheek piece
- 5 GRS Sporter stock with ergonomic grip area
- 6 Bolt handle lock

- 7 Sliding safety catch
- 8 Fine-ground bolt with locking lugs
- 9 Picatinny rail, assembled in the factory
- 10 ANSCHÜTZ Precision barrel
- 11 Barrel thread M 15x1
- 12 Trigger guard, protects the trigger
- 13 Match two stage trigger 5098/71,250 450 g, factory set at 300 g
- 14 Magazine release lever
- 15 Magazine easy to exchange, made of stainless steel

- 16 Studs
- 17 Cheek piece, adjustable in height
- 18 DJV-Stock, made of beautiful grown walnut
- 19 Non-slip checkering
- 20 Match two stage trigger 5098/71, 250 450 g, factory set at 300 g
- 21 Magazine release lever, integrated in the stock
- 22 Magazine easy to exchange, made of stainless steel, ends flat with the stock

Shown: Model 1771 GRS Sporter, caliber .223 Rem., 586 mm barrel and barrel thread M 15x1.

Available as an accessory: The barrel weight with 365 g and 116 mm length ensures optimum balance and comfortable swinging in disciplines such as "running boar". The barrel weight is mounted "overbarrel" and therefore does <u>not</u> extend the overall length.






Shown: Model 1771 DJV, caliber .22 Hornet, 510 mm barrel and barrel thread M15x1

1771 DJV-STOCK

AT THE FRONTIER OF HUNTING AND SPORT


Made from beautifully grown walnut wood with the finest oil finish, the stock is specially developed for competitive hunting style shooting. The adjustable cheek piece reduces head tilt and relaxes the neck muscles. The special DJV magazine ends flat with the stock. The fore-end can be hold without annoying elements.

1771 MODELS PRODUCT INFORMATION





Total weight, depending on barrel length:



Single stage trigger 5097/2D: factory set at 1.200 g adjustable from 1.000 - 1.700 g





Two stage trigger 5098/71: factory set at 300 g adjustable from 250 - 450 g

Scope of delivery:

Model 1771 configurations are delivered, depending on the desired configuration, with 3, 4 or 5-shot magazine (.17 Hornet 5-shot, .22 Hornet 3-shot, .222 Rem./.223 Rem. 4-shot), sling swivel, transport rifle case MEGA Version II (length 118 cm) and original test target and quality control card.

ACCORDING TO YOUR WISHES!

1. STOCK





2. CALIBER

.17 Hornet

Magazine capacity 5 Shot

.22 Hornet

Number of grooves 6

Magazine capacity 3 Shot



.222 Rem.

Number of grooves 6

Twist rate...... 14"/356 mm

Magazine capacity 4 Shot



.223 Rem.

Number of grooves 6

Twist rate...... 9"/229 mm

Magazine capacity 4 Shot

Scope of delivery:

Your rifle-configuration, incl. transport rifle case MEGA Version II (length 118 cm), the original test target and quality control card and a set of sling swivels 1". (Configurations in DJV stock are supplied without sling swivel).







3. BARREL LENGTH

510 mm (20 Inch) Barrel

Length of barreled action675 mm Muzzle diameter......18 mm



586 mm (23 Inch) Barrel

Length of barreled action751 mm Muzzle diameter......18 mm



4. MUZZLE OPTION

Recessed muzzle

High-precision manufactured muzzle that is slightly recessed in the center.





5. TRIGGER




Single stage trigger 5097/2 D Factory set at 1.200 g

Adjustment range... 1.000 g - 1.700 g




Single stage trigger 5097/2 D Tuning

Factory set at500 g Adjustment range...450 g - 650 g



Two stage trigger 5098/71

Factory set at300 g Adjustment range...250 g - 450 g Adjustment of the trigger blade.... 17,7 mm




Barrel thread M15x1 with thread protector The barrel thread allows you

to quickly and easily assemble a sound moderator or a muzzle brake.







1771 CONFIGURATOR

ACCORDING TO YOUR WISHES!

6. MAGAZINE





1771 Magazine, Standard

Made of stainless steel, different number of shots depending on caliber

Cal. 17 Hornet - 5 shots

Cal. .22 Hornet - 3 shots

Cal. .222 Rem. / .223 Rem. - 4 shots

If the DJV stock is selected, the DJV magazine is supplied with a long magazine base.

7. WOOD GRADES

Wood grade Standard (S)*



Wood grade Premium (P)*



Wood grade Luxus (L)*



Wood grade Meistergrade (L)*



8. PICATINNY RAIL



1771 Picatinny rail

Made of high-strength aluminum, with 0 MOA pretilt. Assembled in the factory



black.

Standard

9. BOLT KNOB

Walnut Made of walnut wood. 20 mm diameter

Made of high strength synthetic, 25 mm diameter,



Black Line

Deep black, DLC (Diamond Like Carbon) coated, 25 mm diameter



Checkering and silver lines

With knurled checkering and elegant, timeless silver lines, 25 mm diameter.



Silver lines

With elegant, timeless silver lines. 25 mm diameter.



Checkering

With knurled checkering, timelessly elegant in black, 25 mm diameter.



1771 Picatinny-Schiene

Made of high-strength aluminum, with 30 MOA pretilt. Assembled in the factory.

^{*}All wood grades shown are only examples. Wood is a natural product. Deviations in grain, wood structure and color within the ANSCHÜTZ wood quality grades are possible. The availability of the wood grades depends on the respective stock design. Further information at www.anschuetz-sport.com





Walnut

Made of walnut wood, 25 mm diameter.



Steel

Made of blued steel, 25 mm diameter.



Gold star

With knurled checkering, gold lines and elegant gold star, 25 mm diameter.



Checkering and gold lines

With knurled checkering and elegant, timeless gold lines, 25 mm diameter.



Gold lines

with elegant, timeless gold lines, 25 mm diameter.



APR

For fast repeating, with non-slip grooves, made of high-strength aluminum. Length 40 mm, Ø 22 mm.

10. BARREL THREAD



Standard

For barrel thread M15x1, made of blued steel with knurled checkering.





Silver lines

For barrel thread M15x1, made of blued steel with an elegant and timeless silver lines and knurled checkering.



Gold lines

For barrel thread M15x1, made of blued steel with an elegant and timeless gold lines and knurled checkering.

OPTIONAL ACCESSORIES (TO BE ORDERED SEPARATELY) FURTHER ACCESSORIES FROM PAGE 83.



1771 Barrel weight 365 g

For optimizing the balance, for model 1771 with thread M 15x 1.

Item No.: 014684



ANSCHÜTZ Caps

Made of robust fabric that is ideal for hunting and all outdoor activities. The size of the cap can be adjusted. With an elegant ANSCHÜTZ leather patch.

Item No.: 011690 (brown)
Item No.: 015805 (green)





ANSCHÜTZ Special soft case for hunting and sporting rifles

As a special feature, the new carrying strap system, including a lock, also lets you carry the soft case on your back. Outer dimensions: $1.250 \times 250 \times 50$ mm

Item No.: 015504







1771

EXCEPTIONALLY INDIVIDUAL

Stock and barrel, bolt and trigger, receiver and cartridge – you might think a rifle is, in itself, quite a simple product.

Far from it!

The trigger of the 1771 alone is made up of numerous components! It comes in three versions. Four stocks, two barrel lengths ... the choice of caliber increases the range of configurations considerably.

Combine your requirements, then you'll end up holding a rifle that's been configured so it's virtually one-of-a-kind.

The ANSCHÜTZ 1771.

1771 ACTION

A COMPACT STATEMENT

The lightweight receiver is robust and resistant. Incorporated immovably in the stock for outstanding shooting performance. Sturdy and resistant to heat and cold. With a matt-finished appearance that's timelessly elegant. Equipped with a Picatinny rail - assembled in factory - to make it flexible and versatile. Gas vent holes are an inconspicuous but important detail for your safety.

1771 BOLT

SAFETY FIRST!

Complete without a gap, for maximum safety:
Depending on the caliber single-row or
two-row three-locking lug.
A reliable and durable element.



1771 MAGAZINE

STRONG RESERVE

Extremely comfortable to handle! The magazine holds three, four or five cartridges (depending on the caliber), is made from sturdy stainless steel and is thus insensitive to dust, dirt and water.



1771 TRIGGER


A MASTER STROKE

Precision proven many times over from high-performance sports – in summer and in winter. Depending on the trigger, very wide adjustment range of the trigger weight. Ergonomic and silently operated safety catch.

The location in the rifle with the decisive moment: High-precision parts in harmony in the tightest of spaces for a single task - creating the perfect "interface". The interface between human and rifle. Near to unique, and meanwhile adapted by other manufacturers.

There is nothing better.

Sliding safety catch






- 5098/71 Match two stage trigger, adjustable from 250 g 450 g
- 5097/2D Tuning Match single stage trigger, adjustable from 450g 600g
- 5097/2D Match single stage trigger, adjustable from 1.000 g 1.700 g











My ANSCHÜTZ



1761

THE FIRST SHOT

You pick it up, and at once you feel:

This small-bore rifle is something else!

At this moment, you probably won't think immediately about the gunsmith in his studio and about the time spent in **polishing metal components**; maybe you don't know anything about the care with which the technician **lapped** and **honed** the barrel, but the matte surface, the perfectly soft gliding head of the bolt, and the **closed** connection of the stock and framework formed by the hidden thrust bearing will captivate you.

You will likely not even feel the small bearing, the four millimeters of steel support in the interior of the bolt, in which the three-lug locking mechanism ensures a self-centring closure in the action, but you will certainly notice the smooth repeating speed of the 1761.

The way you become one with the 1761 will trigger a smile: My rifle!

You won't want to put it down.

1761 THUMBHOLE STOCK

THE COMPLEX MADE SIMPLE - PRECISION IN PERFECTION

The thumbhole stock. The eye-catcher when it comes to optical and functional advantages. Light walnut, oiled with satin finsih; the trigger finger is free to act without being burdened. The milled recesses lend the 1761 in the thumbhole stock a futuristic look, which will maintain its good appearance for many years to come!



Thumbhole stock with ergonomically shaped roll-over cheek piece.



at no extra charge!

- 1 Non-slip rubber butt pad
- 2 Ergonomic walnut thumbhole stock, oiled with satin finish
- 3 Integrated groove for optic recoil lug
- 4 Sliding safety catch
- 5 11 mm-ANSCHÜTZ prism rail
- 6 Interchangeable ANSCHÜTZ precision barrel
- 7 Barrel thread ½"-20 UNF
- 8 Single stage trigger 5061 D Heavy 800 1.600 g, factory set at 1.000 g

- 9 Classic ambidextrous walnut stock, oiled with satin finish
- 10 Studs
- 11 Non-slip checkering in new design
- 12 Trigger guard made of high strength molded polymer

ANSCHÜ

- 13 Match two stage trigger 5061 Heavy 800 1.600 g, factory set at 1.000 g
- 14 Magazine release lever
- 15 5-shot magazine, easy to exchange

Shown: Model 1761 thumbhole stock, caliber .22 WMR, 515 mm barrel and barrel thread ½"-20 UNF, single stage trigger 5061 D Heavy


Shown: Model 1761 Classic, caliber .22 l.r., 457 mm barrel and barrel thread ½"-20 UNF, two stage trigger 5061 Heavy

1761 CLASSIC

WELL-BALANCED

The well balanced and ambidextrous oiled walnut stock. Looks traditional – looks good. For the right-handed shooter, for the left-handed shooter. Straight-forward, effective, low in vibration, well-balanced. Laser-cut, weather-resistant checkering for optimal grip. Shock-absorbing, non-slip rubber butt pad.

1761 MODELS PRODUCT INFORMATION





Total weight, depending on barrel length: 2.640 - 3.130 g



.22 l.r. .22 WMR

Important: Barrel lengths depend on caliber, not all lengths are possible for all calibers. For more information see page 54-55.



Single stage trigger 5061 D Heavy factory set at 1.000 g adjustable from 800 - 1.600 g



Single stage trigger 5061 D Light factory set at 300 g adjustable from 250 - 500 g



Two stage trigger 5061 Heavy factory set at 1.000 g adjustable from 800 - 1.600 g



Two stage trigger 5061 Light factory set at 300 g adjustable from 250 - 500 g

Scope of delivery:

Model 1761 configurations are delivered depending on the desired configuration with original test target and quality control card.







- 1 Non-slip rubber butt pad
- 2 Ergonomic Monte Carlo stock made of beautiful grown oiled walnut with roll-over cheek piece
- 3 Integrated groove for optic recoil lug
- 4 Sliding safety catch
- 5 11 mm-ANSCHÜTZ prism rail
- 6 Rear sight with three inlaid yellow luminous dots
- 7 Interchangeable ANSCHÜTZ precision barrel

- 8 Red pearl front sight out of polymer with protection hood, adjustable in height
- 9 Inner thread M12x1
- 10 Match two stage trigger 5061 Light, 250 - 500 g, factory set at 300 g
- 11 Classic ambidextrous walnut stock, oiled with satin finish
- 12 Studs



- 14 Trigger guard made of high strength molded polymer
- 15 Match two stage trigger 5061 Heavy 800 - 1.600 g, factory set at 1.000 g
- 16 Magazine release lever
- 17 Detachable 5-shot magazine, easy to exchange
- 18 Barrel with integrated sound moderator



Shown: Model 1761 Monte Carlo, caliber .22 l.r. barrel length 584 mm with inner thread M12x1 and open sight, two stage trigger 5061 D Light 250 - 500 g, shown with higher quality wood grade.

Thread adapter for 1761 barrels with open sight and inner thread

From inner thread M12x1 to external thread ½" - 20 UNF. Optionally available as an accessory.

Model 1761 Whisper, caliber .22 l.r.

Barrel length 365 mm, single stage trigger 5061 D Heavy 800 - 1.200 g, total length 935 mm, total weight approx 3.150 g

Item No.: 015279 (Right hand version)






1761 WHISPER - ONLY AVAILABLE IN .22 l.r.

SILENT TRUST

Whispering, quiet and silent. Stainless steel, accuracy craftsmanship, easy handling. Radiate silence, convinces all along the line. With low noise, highest precision and with little damage to the game or pelt, this rifle is well suited for urban areas.

1761 MODELS PRODUCT INFORMATION





Total weight, depending on barrel length: 2.660 - 3.120 g



Important: Barrel lengths depend on caliber, not all lengths are possible for all calibers. For more information see page 54-55.



Single stage trigger 5061 D Heavy factory set at 1.000 g adjustable from 800 - 1.600 g



Single stage trigger 5061 D Light factory set at 300 g adjustable from 250 - 500 g



Two stage trigger 5061 Heavy factory set at 1.000 g adjustable from 800 - 1.600 g



Two stage trigger 5061 Light factory set at 300 g adjustable from 250 - 500 g

Scope of delivery:

Model 1761 configurations are delivered depending on the desired configuration with original test target and quality control card.

The total length is between 795 mm and 1.035 mm.

ACCORDING TO YOUR WISHES!

1. STOCK







2. CALIBER

Caliber .17 HMR

, ---

Caliber .22 l.r.

Number of grooves...... 8

Twist rate...... 17"/420 mm



Caliber .22 WMR

Number of grooves...... 8



Scope of delivery:

Your rifle configuration with original test target and quality control card.





3. BARREL LENGTH

356 mm (14 Inch) Barrel

457 mm (18 Inch) Barrel

Length of barreled action580 mm
Muzzle diameter19 mm

515 mm (20.3 Inch) Barrel

584 mm (23 Inch) Barrel

584 mm barrel only with caliber .22 l.r.

4. MUZZLE OPTION

Recessed muzzle



Barrel thread ½ Zoll - 20 UNF with thread protector



Barrel thread ½ Zoll - 28 UNEF with thread protector



Open sight with inner barrel thread M12x1 (+20 g)



5. TRIGGER



Single stage trigger 5061 D Light

Factory set at300 g
Adjustment range......250 g - 500 g



Single stage trigger 5061 D Heavy



Two stage trigger 5061 Light



Two stage trigger 5061 Heavy

1761 CONFIGURATOR - HUNTING MODELS

ACCORDING TO YOUR WISHES!

6. MAGAZINE



1761 Magazine, Standard

5-shot magazine made of stainless steel with high-strength synthetic magazine base.



1761 Magazine, 10-Shot, cal. .22 l.r.

10-shot magazine made of stainless steel with high-strength synthetic magazine base.

7. WOOD GRADES

Wood grade Standard (S)*



Wood grade Premium (P)*



Wood grade Luxus (L)*



Wood grade Meistergrade (M)*



*All wood grades shown are only examples. Wood is a natural product. Deviations in grain, wood structure and color within the ANSCHÜTZ wood quality grades are possible. The availability of the wood grades depends on the respective stock design. Further information at www.anschuetz-sport.com

8. MOUNTING PLATFORM



1761 Prism rail

11 mm prism rail, milled directly into the reciever, with integrated recoil lug. Included with every configuration.



1761 Picatinny rail 0 MOA

Made of high-strength aluminum, with 0 MOA pretilt. Assembled on the prism rail at the factory.



1761 Picatinny rail 30 MOA

Made of high-strength aluminum, with 30 MOA pretilt. Assembled on the prism rail at the factory.

9. TRIGGER GUARD



1761 Trigger guard, standard

Made of high-strength synthetic material, comfortable to hold at any temperature.



1761 Trigger guard, aluminum

Made from high-strength aluminum. Elegantly shaped, a high-quality extra for eternity.



10. BOLT KNOB



Standard

Made of high strength synthetic, 25 mm diameter, black.



Walnut

Made of walnut wood, 20 mm diameter.



Black Line

Deep black, DLC (Diamond Like Carbon) coated, 25 mm diameter.



Checkering and silver lines

With knurled checkering and elegant, timeless silver lines, 25 mm diameter.



Silver lines

With elegant, timeless silver lines, 25 mm diameter.



Checkering

With knurled checkering, timelessly elegant in black, 25 mm diameter.



Walnut

Made of walnut wood, 25 mm diameter.



Steel

Made of blued steel, 25 mm diameter.



Gold star

With knurled checkering, gold lines and elegant gold star, 25 mm diameter.



Checkering and gold lines

With knurled checkering and elegant, timeless gold lines, 25 mm diameter.



Gold lines

with elegant, timeless gold lines, 25 mm diameter.



APR

For fast repeating, with non-slip grooves, made of high-strength aluminum. Length 40 mm, \varnothing 22 mm.

OPTIONAL ACCESSORIES (TO BE ORDERED SEPARATELY) FURTHER ACCESSORIES FROM PAGE 83.



1761 Cleaning rod guide

The cleaning rod guide protects the cartridge chamber and the trigger unit from scratches, cleaning agents and residues from the barrel.

Item No.: 015655



1761 Magazine loading help

Enables easy and quick loading of the magazine.

Item No.: 015298





ANSCHÜTZ Special soft case for hunting and sporting rifles

As a special feature, the new carrying strap system, including a lock, also lets you carry the soft case on your back. Outer dimensions: $1.250 \times 250 \times 50$ mm

Item No.: 015504

1761 MPR MULTI PURPOSE BEAVERTAIL, CAL. .22 L.R.

FLEXIBLE FOR HIGHEST PRECISION

Developed from the needs of shooters from the range and the field, this stock combines the advantages of a classic target stock, combined with the wide and easy to handle beavertail forend. The integrated aluminum rail in the forend makes this stock a great overall package. Stained walnut with stippled checkering at pistol grip, prepared for attaching a butt plate carrier and can therefore be flexibly adjusted in length.





at no extra charge!

- 1 Non-slip rubber butt pad
- 2 Prepared for attaching a butt plate carrier
- 3 Stained Multi Purpose Beavertail stock made of beautiful grown hardwood
- 4 Stippled checkering
- 5 Integrated groove for optic recoil lug
- 6 Sliding safety catch
- 7 11 mm-ANSCHÜTZ prism rail
- 8 Heavy ANSCHÜTZ precision barrel

- 9 Reinforced, recessed muzzle with groove for attaching a front sight
- 10 Match two stage trigger 5061 Light, 250 g 500 g
- 11 Wide and easy to handle beavertail forend with integrated aluminum rail for accessories
- 12 Lacquered stock made of beautiful grown walnut with stippled checkering
- 13 Ergonomic grip with stippled checkering

- 14 Trigger guard made of high strength synthetic
- 15 Match two stage trigger 5061 Light, 250g - 500g
- 16 Magazine release lever
- 17 Detachable 5-shot magazine, easy to exchange
- 18 Grip and forend with stippled checkering and integrated aluminum rail for accessories



Model 1761 MPR, caliber .22 l.r.

Heavy barrel, barrel length 544 mm, two stage trigger 5061 D Light 250 - 500 g, rubber butt pad

Item No.: 015539



Reinforced, recessed muzzle with groove for attaching a front sight.

Model 1761 MS R, caliber .22 l.r.

Heavy barrel, barrel length 544 mm,

rubber butt pad

Item No.: 015540

two stage trigger 5061 D Light 250 - 500 g,




1761 MS R, CAL. .22 L.R

THE SPORTING RIFLE

The ANSCHÜTZ small bore rifle for shooting on metal silhouettes and targets. Receiver with an 11 mm ANSCHÜTZ prism rail and grooved barrel for attaching a front sight, so you can also shoot with sight set. Anatomically designed stock with cheek piece especially made for these disciplines. With non-slip and adjustable rubber butt plate and aluminum rail in the forend. The stock is prepared for the assembly of a butt plate carrier – to adjust the stock in length. Stippled checkering on pistol grip and forend.

1761 MODELS PRODUCT INFORMATION





22 l r



Total weight, depending on model: 3.520 - 3.710 g



 Two stage trigger 5061 Light factory set at 300 g adjustable from 250 - 500 g

Item numbers:

Scope of delivery:

Model 1761 MPR or 1761 MSR are supplied with a 5-shot magazine, transport rifle case Mega Version II (length 118 cm) and original test target and quality control card.







1761

FIND REPOSE

Shooting is a complex, contradictory act, but ultimately, in the core of its being, it forces the shooter to re-examine himself.

LOOK INWARD – BREATHE – STAY STILL – FEEL – CONCENTRATE ... the actual triggering of the shot is almost of secondary importance.

On the following pages, you will experience the 1761 in its full range of detail. You will see the interplay of cleverly devised components produced with devotion and tested with meticulous attention to detail.

The ANSCHÜTZ 1761.


1761 ACTION

EVERYTHING THAT MAKES A ANSCHÜTZ.

The foundation of our high precision rests on the barreled action design. Geometry inspired by our target rifles, with a high degree of stiffness, a flat supporting surface and an integrated recoil lug. The precision action is manufactured by highly demanding production processes and with gunsmiths expertise.

In the action integrated well engineered ejector can be changed very easily.

The luminous matte surface lends the model 1761 a timeless appearance, which will continue to look excellent even for many years to come.



1761 BOLT


RUNS EASY AND QUICK

The small bearing reduces the force needed to open and to close the bolt. Fast and easy repeats are possible. Symmetrically arranged three-lug locking mechanism for the highest safety and phenomenal precision. Simple disassembly for care and cleaning. The high-quality and resistant QPQ coating ensures additional sliding capacity, resistance to wear, and corrosion protection, and thus is perfect for use in hunting and for harsh weather conditions.



Three-lug locking mechanism for highest safety and phenomenal precision

Two stage trigger



1761 TRIGGER

ANSCHÜTZ


OUR TRADITION

It doesn't matter which kind of trigger you need, whether single stage or two stage, which aiming position is preferred or required, whether prone, sitting, kneeling or freehand standing:

With different triggers for the model 1761, you will find the perfect interface between you and your 1761 small bore rifle.

There is nothing better.

Sliding safety catch with good grip



Robust trigger blade made of high strength aluminum



The handy magazine release lever is integrated in the trigger

1761 BARREL VERSIONS

EXPERIENCE LEADS TO PRECISION

The 1761 modular system offers the perfect barrel versions for every application. If you need a heavy precision barrel or classic hunting barrels in different lengths - we have what you looking for.

Following barrel versions for your perfect configuration:

- Heavy precision barrel, 21.4" (544 mm) grooved, with reinforced muzzle
- Precision hunting barrels in different lengths 23" (584 mm)
 20.3" (515 mm)
 18" (457 mm)
 14" (356 mm)
- Two different muzzle threads 1/2" 20 UNF and 1/2" 28 UNEF
- Hunting barrel with open sight (FL)
 20.3" (515 mm) or 23" (584 mm) with inner thread M 12x1
- Barrel with integrated sound moderator (only .22 l.r.) 19.3" (492 mm), the integrated sound moderator is easy to disassemble and to clean

If you would like to change the caliber, the barrel can be easily altered by a qualified gunsmith. Thanks to its two tenon locking clamps, the barrel clamping allows for the barrel to be re-inserted with perfect precision every time.







1761 OPTICS AND ASSEMBLY

THE LINK

The 11 mm ANSCHÜTZ prism rail integrated in the receiver enables the flexible mounting of a wide variety of optics. The integrated support in the prism rail offers maximum stability and repeatability when mounting our optional 1761 Picatinny rail with 0 or 30 MOA pretilt.





1761 MAGAZINE

STRONG HANDLING

The single-stack 5 or 10-shot magazine with a robust stainless steel housing can be changed extremely quick and easy. This is made possible by the release lever integrated into the trigger and the extended magazine base plate. The high-strength magazine base plate is made of weather-resistant polymer.



1761 STOCK AND ACTION BEDDING

THE BASE OF PRECISION

3173233 DE

Integrated recoil lug

The oiled Classic hunting stock with its straight comb is suitable for right-handed as well as left-handed shooters (ambidextrous). The non-slip checkering in new design ensures a sure and stable grip even in rain. The ergonomically designed thumbhole stock made of oiled walnut with satin finish ensures stability in the firing position and a relaxed shooting posture thanks to its roll-over cheek piece and its sharp pistol grip.

The MP R Multi Purpose Beavertail stock, as well as the MS R Silhouette stock are equipped with a stippled checkering. Furthermore, these two stocks are the bridge between the needs of the shooting range and the hunting grounds. The aluminum rail in the forend enables the attachment of accessories, such as a hand stop. These stocks are also prepared for the assembly of a butt plate carrier.

The solid and flat bedding of the barreled action in the stock ensures the highest precision. Just phenomal details.

Solid and flat bedding



Integrated aluminum rail

at MPR and MSR stocks











1727 F

STRAIGHT-PULL LEADS TO SUCCESS

A straight-pull design means minimal movement in operation and, of course, super-fast cycling of the bolt — both advantages are important when hunting.

With the Model 1727 F we have perhaps the fastest small bore straight-pull model on the market. The precisely crafted barreled action is adapted from our world famous biathlon rifles to meet the needs in the field, dynamic shooting disciplines and on the shooting range.

The result: A high end straight-pull repeating rifle with a target pedigree, aimed for the hunting market.

Fast, precise, elegant.

1727 F



- 1 Non-slip rubber butt pad
- 2 German style stock, made from aged walnut
- 3 Thumb rest for fast repeating
- 4 Straight pull barreled action in caliber .22 l.r.
- 5 Sliding safety catch
- 6 Non-slip bolt handle
- 7 11 mm prism rail, assembled in the factory
- 8 ANSCHÜTZ Precision barrel
- 9 Receesed muzzle, 18 mm
- 10 Studs

- 11 Detachable magazine, easy to exchange 5-shot .22 l.r.
- 12 Straight pull barreled action in caliber .17 HMR
- 13 Non-slip checkering
- 14 Match two stage trigger 5020/1; 90 g - 650 g, factory set at 550 g
- 15 Trigger guard
- 16 Magazine release lever
- 17 Detachable magazine, easy to exchange 4-shot .17 HMR
- 18 Barrel thread ½ Zoll -28 UNEF



Shown: Model 1727 F German stock, caliber .22 l.r., 560 mm barrel.





Shown: Model 1727 F German stock, caliber .17 HMR, 457 mm barrel, barrel thread ½" - 28 UNEF.

ANSCHUTZ



5-Shot sheet steel magazine, blued for caliber .22 Lr.




4-Shot stainless steel magazine for .17 HMR caliber.

1727 F MODELS

PRODUCT INFORMATION

Total length: 940 - 1.067 mm





Two stage trigger 5020/1: factory set at 550 g adjustable from 90 - 650 g



Total weight, depending on barrel length: 3.270 - 3.930 g



Important: Barrel lengths depend on caliber, not all lengths are possible for all calibers. For more information see page 72-73.

Scope of delivery:

Model 1727F configurations are delivered, depending on the desired configuration, with a 4-shot magazine for .17 HMR caliber, 5-shot or 10-shot magazine for .22 l.r. caliber, a thread cap (if barrel with barrel thread is selected), transport rifle case Mega Version II (length 118 cm), original test target and quality control card.

The total length is between 940 mm and 1.067 mm.

ACCORDING TO YOUR WISHES!

1. STOCK



2. CALIBER

Caliber .17 HMR

Number of grooves 6 Receiver.....silver





Caliber .22 l.r. -----

Number of grooves 8 Receiver......black





3. BARREL VERSION

457 mm (18 Inch) Barrel

Length of barreled action625 mm Muzzle diameter......18 mm Barrel thread ½ 7oll - 28 UNFF

457 mm (18 Inch) Barrel, heavy

Length of barreled action625 mm Muzzle diameter 21 mm

560 mm (22 Inch) Barrel

Length of barreled action728 mm Muzzle diameter......18 mm

584 mm (20.3 Inch) Barrel, heavy

Length of barreled action752 mm Muzzle diameter.....21 mm



Scope of delivery:

Your rifle configuration, incl. transport rifle case Mega Version II (length 118 cm), original test target and quality control card.







4. TRIGGER

5. MAGAZINE

6. WOOD GRADES


7. TRIGGER BLADE



Two stage trigger 5020/1 Factory set at550 g Adjustment range...90 g - 650 g



Magazine Standard for caliber .22 l.r. made of robust, blued sheet steel.



Magazine Standard 4-Shot magazine for caliber .17 HMR made of high-strength and robust stainless steel.



Wood grade Standard (S)*



Wood grade Premium (P)*





Serrated trigger blade Black, can be swiveled and moved forwards and backwards.



Magazine 10-Shot 10-Shot magazine for caliber .22 l.r. made of robust. blued sheet steel.

^{*}All wood grades shown are only examples. Wood is a natural product. Deviations in grain, wood structure and color within the ANSCHÜTZ wood quality grades are possible. The availability of the wood classes depends on the respective stock design. Further information at www.anschuetz-sport.com







1727 F

FOR THE TECHNOLOGY ENTHUSIAST

Highly complex interplay of precision mechanics and materials, of high-tech, state-of-the-art manufacturing and know-how. Everything in the smallest of spaces. Created to lead the will to the finish – with maximum safety and outstanding precision.

Like no other name, ANSCHÜTZ stands for progress in biathlon - over 95 % of all athletes trust in ANSCHÜTZ. For decades, the straight pull barreled action was developed to perfection and then optimized for hunting.

The fastest follow-up shots in an almost unchanged shooting position are the result - for training on the shooting range and hunting success.

1727 FACTION


SOLID CORE PIECE



1727 F BOLT

FOR THE OLYMPICS

World-famous and winner of several Olympic gold medals at biathlon: the straight pull action. Seven hardened steel balls for a secure lock. The easy-grip, knurled bolt handle, optimised for hunting, enables incredibly fast follow-up shots: The index finger opens - the thumb closes. The movement is made from the wrist, the trigger hand remains on the rifle.



.22 l.r. Magazine, made of blued sheet steel, 5-Shot

1727 F MAGAZINE

SAFELY INTEGRATED

Securely engaged, the magazine disappears almost invisibly into the stock. Made of weather-resistant steel (.17 HMR) or blued sheet steel (.22 l.r.), the magazine defies dust, dirt and water and feeds loaded cartridges precisely and quickly.

1727 F TRIGGER



THE BENCHMARK FOR SPORTING RIFLE TRIGGERS

Finest lapping, low weight, specially hardened: a precision piece of extreme robustness. Fine adjustable trigger weight (90 g to 650 g) for target-oriented interaction of the entire action.

The most important part of the rifle in such a decisive moment: High-precision parts in harmony in the smallest space for a single task - to form the perfect "interface", the interface between man and rifle. Close to unique and meanwhile adapted by other manufacturers.





Two stage trigger 5020/1, 90 - 650 g, factory set at 550 g.



.17 HMR Magazine, stainless steel, 4-Shot Adjustable trigger blade





EINFACH **EINS** WERDEN

SOUND SOUND MODERATOR

Protect your hearing, reduce stress, shoot better, hunt more relaxed

ANSCHÜTZ SOUND MODERATOR OBM48*

COMPACT. EFFECTIVE. ROBUST.

This sound moderator with its very high attenuation performance of 32-37 dB (depending on caliber) is an excellent choice for all standard calibers. The slim design, which also proves advantageous when used with attachments, and the low weapon extension make this model an excellent all-rounder. These factors and the high-quality material used make this sound moderator a reliable companion with an excellent price-performance ratio.

In order to keep the length of your hunting rifle with screwed-on sound moderator as short as possible, 73 mm of the total length of the sound moderator is attached above the barrel. This lengthens your firearm with the sound moderator screwed on by only 132 mm.





Back




Front



Thread adapter and guide washer fitted ex works, can be replaced if necessary.

Overall length of the sound moderator: 205 mm







HOW DOES THE OBM48 WORK?

After a shot, the gases in the propellant charge expand and escape at the end of the barrel. A sound moderator inhibits this through various chambers and specially shaped structures. Our sound moderator OBM48 offers the hot, high-pressure gases flowing out of the muzzle a space in which the extremely high pressure can be reduced. When the gases escape from the sound moderator into the environment, the much lower pressure results in an audibly quieter bang. The more volume the sound moderator provides for this, the greater the expansion effect.

This achieves a significant reduction in the muzzle blast of up to 32-37 dB (decibels) depending on the caliber used. The volume ratio of the sound moderator also causes a frequency modulation, which makes the perceptible bang sound much duller. Another major advantage of our sound moderator is the clear and noticeable reduction in recoil and the almost complete elimination of visible muzzle flash

Less shooting stress and therefore better results with the ANSCHÜTZ high performance sound moderator.

SOUND MODERATOR .22 Lr.*

MAKES QUIET EVEN QUIETER



The sound moderator manufactured exclusively for ANSCHÜTZ by the well-known Swiss manufacturer B&T AG has been specially developed for small-caliber rifles in 4.5 - 5.5 mm caliber. The sound moderator made of robust aluminum is prepared for the ½"-20 UNF barrel thread.




Sound moderator

For caliber .22 l.r., suitable for barrel thread 1/2"-20 UNF.

Item No.: 013290



SOUND MODERATOR PRODUCT INFORMATION





48.65 mm

attenuation performance

Approx. 32-37 dB Total weight approx. 395 a

For caliber 6.5 mm - .30

Item Number:

Sound moderator OBM48, cal. 6.5 mm - .30 017300





Diameter:

30 mm

Approx. 29 dB

attenuation

performance



Total weight approx. 100 g

For caliber 4,5 - 5,5 mm

Item Number

Important information: Please observe the regulations of the Weapons Act applicable in your country.





EINFACH **EINS** WERDEN!

ACCESSORIES AND MERCHANDISE

The finishing touch for your ANSCHÜTZ hunting rifle

MAGAZINES



1782 Magazine, replacement

Different number of shots depending on the caliber.

Item No.: 015338

3-Shot, cal. .308 Win., .243 Win., 6.5 Creedmoor

Item No.: 015337

3-Shot, cal. .30-06, 8 x 57 IS, 9,3 x 62

Item No.: 016165 2-Shot, cal. .300 Win. Mag.



1782 Driven hunt magazine

Different number of shots depending on the caliber.

Item No.: 015257

5-Shot, cal. .308 Win., .243 Win., 6.5 Creedmoor

Item No.: 015367

5-Shot, cal. .30-06, 8 x 57 IS, 9,3 x 62

Item No.: 015893 3-Shot, cal. .300 Win. Mag.



1771 Magazine, replacement

Different number of shots depending on the caliber.

Item No.: 014781

5-Shot, cal. .17 Hornet

Item No.: 015069 3-Shot, cal. .22 Hornet

Item No.: 014188

4-Shot, cal. .222 Rem. / .223 Rem. / .204 Ruger



1771 DJV Magazine, replacement

Different number of shots depending on the caliber.

Item No.: 016882

5-Shot, cal. .17 Hornet

Item No.: 014925 3-Shot, cal. .22 Hornet

Item No.: 014931

4-Shot, cal. .222 Rem. / .223 Rem. / .204 Rug.



1761 Magazine, replacement

For different calibers.

Item No.: 015081 5-Shot, cal. .17 HMR

Item No.: 015079

5-Shot, cal. .22 l.r. und .17 Mach2

Item No.: 015080 5-Shot, cal. .22 WMR



1761 10-Shot Magazine

Made of high-strength stainless steel and synthetic material.

Item No.: 016174



1771 Single shot adapter

Optimally suited for the shooting range.

Item No.: 012059



1761 Magazine loader

Allows easy and fast loading of the 1761 magazine.

Item No.: 015298



1727 F Magazine, replacement

4-Shot, caliber .17 HMR

Item No.: 012961



1727 F Magazine, replacement

5-Shot, caliber .22 l.r.

Item No.: 001153



1727 F 10-Shot Magazine 10-Shot, caliber .22 l.r.

Item No.: 001154



1727 F Single shot adapter

For caliber .22 l.r.

Item No.: 001485

ANSCHÜTZ

FIRING PINS, BOLT BREECHES, TRIGGER BLADES AND GUARDS



Trigger blade "Standard"

Silver-colored, nickel-plated trigger blade with non-slip serrations, is fitted as standard on all 1782 models.

Item No.: 016343



Trigger blade "Gold Line"

Gold-colored TIN-coated trigger blade with non-slip serrations, the eye-catcher on your 1782.

Item No.: 016515



Trigger blade "Black Line"

Deep black DLC-coated trigger blade without serrations, the simple but elegant detail on your 1782.

Item No.: 016833



Trigger blade "Gilded"

Gold-coated trigger blade without serrations, an exclusive and luxurious highlight for your 1782.

Item No.: 017138



Trigger blade "1761 APR"

Black trigger blade for the tuning trigger of the 1761 model series.

Item No.: 016301



1761 Trigger guard

Made from high-strength aluminum. Elegantly shaped, a high-quality extra for eternity.

Item No.: 015182



Firing pin 1782 "Gold Line"

Gold-colored TiN-coated firing pin, an exceptional and extremely robust and durable extra for your 1782.

Item No.: 017087 (only for new orders)



Bolt breech 1782 "Gold Line"

Gold-colored TiN-coated bolt breech, maximum abrasion resistance and luxurious look thanks to the proven all-round coating.

Item No.: 017080 (only for new orders)



Bolt breech 1782 "Black Line"

Deep black DLC-coated bolt breech with maximum gliding properties for a fabulously smooth bolt movement of your bolt action rifle.

Item No.: 016828 (only for new orders)

BOLT KNOBS AND THREAD CAPS



Bolt knob Synthetic 25 mm diamater, black. **Item No.: 003301**



Bolt knob Steel
25 mm diamater, black.
Item No.: 013807



Bolt knob Walnut 20 mm or 25 mm diamater. Item No.: 016509 (Ø 25 mm)

Item No.: 016510 (Ø 20 mm)



Bolt knob Black Line
Deep black DLC-coated (Diamond Like Carbon), diamater 25 mm.
Item No.: 016808



Bolt knob Checkering
With knurled checkering,
timelessly elegant in black,
25 mm diameter.

Item No.: 016827



Bolt knob APR
For fast repeating,
with non-slip grooves,
made of high-strength aluminum.
Length 40 mm, Ø 22 mm

Item No.: 016881



Bolt knob Gold star

With knurled checkering, gold lines and elegant gold star, 25 mm diamater.

Item No.: 016817



Bolt knob Checkering and lines

With knurled checkering and elegant, timeless gold or silver lines, 25 mm diameter.

Item No.: 016821 (gold)
Item No.: 016819 (silver)



Bolt knob Lines

With elegant, timeless gold or silver lines, 25 mm diameter.

Item No.: 016825 (gold) Item No.: 016823 (silver)



Thread cap Gold or silver lines

With elegant, timeless gold or silver lines, for barrel thread M15x1.

Item No.: 016832 (gold)
Item No.: 016830 (silver)



Thread caps, replacement

With knurled checkering, different diameters and threads depending on the model and barrel design. Model 1782 - Barrel thread M 15x1, Model 1771 - Barrel thread M 15x1, Model 1761 - Barrel thread ½ Inch-20 UNF or ½ Inch-28 UNEF, Model 1727 - Barrel thread ½-28 UNEF (19 or 21 mm).

Item No.: 013920 (M15x1, 18 mm diameter)

Item No.: 015026 (½ Inch-20 UNF, 19 mm diameter)
Item No.: 013739 (½ Inch-28 UNEF, 18 mm diameter)
Item No.: 014161 (½ Inch-28 UNEF, 21 mm diameter)

MOUNTS AND PICATINNY RAILS









1761 Picatinny rail

For mounting various optics on 1761 models. With 30 or 0 MOA pretilt.

Item No.: 015018 (0 MOA) Item No.: 016989 (30 MOA)

1771 Picatinny rail

For mounting various optics on 1771 models. With 30 or 0 MOA pretilt.

Item No.: 015255 (0 MOA) Item No.: 017026 (30 MOA)

Recknagel one-piece tip-off mount

With triangular nut incl. special tool, suitable for picatinny rails, ring width 15 mm, available with different center tube diameters (MR) and heights (BH).

Item No.: 018206 (30 mm MR, 10,5 mm BH) Item No.: 018207.....(30 mm MR, 15,5 mm BH) Item No.: 018209 (34 mm MR, 17,5 mm BH)











Recknagel tip-off mount

With triangular nut incl. special tool, suitable for picatinny rails.

Item No.: 018210 (30 mm center tube diameters) Item No.: 018211 (34 mm center tube diameters)

Recknagel PSG-tip-off mount -ZEISS

Made of high-strength aluminium, black anodized, with triangular nut incl. special tool, suitable for picatinny rails. For 45°/Zeiss inner rail, particularly low overall height.

Item No.: 016472

Recknagel PSG-tip-off mount -**SWAROVSKI**

Made of high-strength aluminium, black anodized, with triangular nut incl. special tool, suitable for picatinny rails. For Swarovski SR inner rail, particularly low overall height.

Item No.: 018212

Recknagel one-piece tip-off mount

Made of high-strength aluminum, black hard-anodized, with triangular nut incl. special key, extremely stable and very low, suitable for Picatinny rails, bolt spacing 110 mm, total length 130 mm for 45°/Zeiss inner rail.

Item No.: 018213

STOCKS





1782 Classic - Stock only

Made of oiled walnut with straight cheek piece and rubber recoil pad, incl. fittings.

Item No.: 015345 (right)
Item No.: 015997 (left)



1782 Classic PRO - Stock only

Made of oiled walnut with adjustable cheek piece and rubber recoil pad, incl. fittings.

Item No.: 015982 (right)
Item No.: 016000 (left)



1782 Classic PRO Black - Stock only

Made of oiled walnut with black, adjustable cheek piece and rubber recoil pad, incl. fittings.

Item No.: 017099 (right)



1771 German stock - Stock only

Made of oiled walnut with bavarian cheek piece, schnabel tip and rubber recoil pad, incl. fittings.

Item No.: 015435 (right)



1771 Thumbhole stock - Stock only

Made of oiled walnut with roll-over cheeck piece, schnabel tip und rubber recoil pad, incl. fittings.

Item No.: 015436 (right)



1771 GRS Sporter - Stock only

Made of laminated wood, with adjustable cheek piece and rubber recoil pad, incl. fittings.

Item No.: 015437 (right)



1761 Classic - Stock only

Made of oiled walnut with straight cheek piece and rubber recoil pad, incl. fittings.

Item No.: 015530 (right)
Item No.: 015556 (left)



1761 Thumbhole stock - Stock only

Made of oiled walnut with roll-over cheeck piece, schnabel tip und rubber recoil pad, incl. fittings.

Item No.: 015531 (right)



1761 Monte Carlo - Stock only

Made of oiled walnut with Monte Carlo roll-over cheeck piece, schnabel tip und rubber recoil pad, incl. fittings.

Item No.: 015938 (right)





1782 German stock - Stock only

Made of oiled walnut with bavarian cheek piece, schnabel tip and rubber recoil pad, incl. fittings.

Item No.: 015346 (right)



1782 Thumbhole stock - Stock only

Made of oiled walnut with roll-over cheeck piece, schnabel tip und rubber recoil pad, incl. fittings.

Item No.: 015464 (right)



1782 GRS Bifrost - Stock only

Made of fiberglass-reinforced composite material, with adjustable cheek piece and rubber recoil pad, incl. fittings.

Item No.: 017024 (right)



1771 DJV - Stock only

Made of oiled walnut with adjustable cheek piece and rubber recoil pad, incl. fittings.

Item No.: 015438 (right)

1727

1727 German stock - Stock only

Made of oiled walnut with bavarian cheek piece, schnabel tip and rubber recoil pad, incl. fittings.
For 1727 F barreled action caliber .17 HMR or .22 l.r.

Item No.: 017271 (Stock only for barreled actions caliber .17 HMR) Item No.: 017278 (Stock only for barreled actions caliber .22 l.r.)





1761 Monte Carlo II - Stock only

Made of oiled walnut with Monte Carlo roll-over cheek piece, schnabel tip und rubber recoil pad, incl. fittings.

Item No.: 015939 (right)



1761 MPR - Stock only

Made of stained hardwood with checkering, beavertail fore-end and aluminum rail. Incl. adjustable rubber but plate, prepared for attaching a clamp piece for a but plate carrier and fittings.

Item No.: 015532 (right)
Item No.: 015774 (left)



1761 MSR - Stock only

Made of oiled walnut with checkering, beavertail fore-end and aluminum rail. Incl. adjustable rubber butt plate, prepared for attaching a clamp piece for a butt plate carrier and fittings.

Item No.: 015533 (right)

SOUND MODERATORS, STOCK AND BARREL ACCESSORIES AND CLEANING



ANSCHÜTZ Sound moderator OBM48 für Kal. 6.5 mm - .30*

This sound moderator with its very high attenuation performance of 32-37 dB (depending on caliber) is an excellent choice for all standard calibers. The slim design, which also proves advantageous when used with attachments, and the low weapon extension make this model an excellent all-rounder. More information on page 80.

Item No.: 017300



1771 Barrel weight 365 g

Ensures optimum balance and comfortable swinging in disciplines such as "running boar". Length 116 mm for barrel diamater 19 mm with barrel thread M 15x 1.

The barrel weight is mounted "overbarrel" and therefore does not extend the overall length.

Item No.: 014684



Thread adapter

From inner thread $\frac{1}{2}$ " - 20 UNF to outer thread $\frac{1}{2}$ " - 28 UNEF.

Item No.: 013483



Thread adapter for 1761 barrels with open sight and inner thread

From inner thread M12x1 to outer thread $\frac{1}{2}$ " - 20 UNF.

Item No.: 016511



Sling swivel (2 Pieces)

For quick and easy assembly of a rifle sling.

Item No.: 007663



ANSCHÜTZ Sound moderator .22 l.r.*

The sound moderator manufactured exclusively for ANSCHÜTZ by the well-known Swiss manufacturer B&T AG has been specially developed for small-caliber rifles in 4,5 - 5,5 mm calibre. The sound moderator made of robust aluminum is prepared for the ½"-20 UNF barrel thread.

Item No.: 013290



Cleaning rod guide 1761

Protects the cartridge chamber and the trigger unit from scratches, cleaning agents and residues from the barrel, made of high-strength synthetic.

Item No.: 015655



Cleaning rod guide 1727

Protects the cartridge chamber and the trigger unit from scratches, cleaning agents and residues from the barrel, made of robust aluminum.

Item No.: 013711

TRANSPORT





ANSCHÜTZ Special soft case for hunting and sporting rifles

As a special feature, the new carrying strap system, including a lock, also lets you carry the soft case on your back. Outer dimensions: 1.250 x 250 x 50 mm

Item No.: 015504



ANSCHÜTZ Transport gun case MEGA

For 2 rifles with accessories, black with ANSCHÜTZ logo. Empty weight: approx. 3.5 kg, Outer dimensions: $1.200 \times 360 \times 115$ mm, inner dimensions: $1.185 \times 340 \times 90$ mm. Two thick foam trays protect your hunting rifle from bumps reliably.

Item No.: 013330

ANSCHÜTZ Backpack

The sporty backpack that will be helpful in everyday life. The large interior and the attached front pocket offer plenty of storage. Large zippers for easy using. Quickly adjustable shoulder strap system to adjust the size optimally. The backpack has rubber feet to put the backpack down safely.

Item No.: 007229



CLOTHING AND MERCHANDISE







ANSCHÜTZ Caps

Made of robust fabric that is ideal for hunting and all outdoor activities. The size of the cap can be adjusted. With an elegant ANSCHÜTZ leather patch or embroidery.

Item No.: 011690 ANSCHÜTZ - Cap Hunting - brown Item No.: 015805 ANSCHÜTZ - Cap Hunting - green Item No.: 001568 ANSCHÜTZ - Cap Sport - black





ANSCHÜTZ Fan vest

Stylish and practical Uhlsport multifunctional jacket with the ANSCHÜTZ logo printed on the left chest. The jacket can also be worn as a vest thanks to the detachable sleeves. 100% polyester.

Item No.: 016710 Size S
Item No.: 016711 Size M

Item No.: 016712 Size L
Item No.: 016713 Size XL

Item No.: 016714 Size XXL





ANSCHÜTZ Signal vest

With a large and smooth zipper on the front. Thanks to the generous cut, the singnal vest can be put on quickly and easily. The ANSCHÜTZ logo is on the left chest and on the back.

Item No.: 015725





ANSCHÜTZ Shooting vest

Offers numerous big pockets to comfortably put in your equipment. The size of the vest can be adjusted using length adjustment with press buttons on the back and the stretch material incorporated into the sides of the vest. Velcro straps on the back allow to attach a towel or similar quickly and easily. Clips on the back offer the option of attaching a number plate during competitions.

Item No.: 015692 Size S Item No.: 015693 Size M Item No.: 015694 Size L
Item No.: 015695 Size XL

Item No.: 015696 Size XXL



ANSCHÜTZ T-Shirt "Deer and .300 Win. Mag."*

The high-quality T-shirt made of elastic fabric (95% cotton, 5% elastane) with deer design on the front and 1782 slogan "Think Powerful" on the back.

Item No.: 016199 "Deer" Size XL Item No.: 016200 "Deer" Size XXL

*Only as long as available!



ANSCHÜTZ Glasses

If you want to enjoy your drink in style, you should not only pay attention to the quality of the drink, but also choose a suitable glass!

With ANSCHÜTZ engraving.

Item No.: 016201 (Wine glass)
Item No.: 016250 (Champagne glass)
Item No.: 016217 (Long drink glass)







ANSCHÜTZ Logo Pin

Attachable pin with ANSCHÜTZ logo. Width: 20 mm; aluminum.

Item No.: 011832

ANSCHÜTZ Logo Badge

ANSCHÜTZ Logo Patch

Made of high quality and robust yarn, approx. 93 x 22 mm. **Item No.: 001658**

Made of high quality and robust textile,

approx. 93 x 22 mm. Item No.: 016356

ANSCHÜTZ Logo Sticker

Approx. 110 x 40 mm. Item No.: 014474

ANSCHÜTZ Logo key chain

Made of robust stainless steel and therefore resistance to dust, dirt and water. $50 \text{ mm} \times 12 \text{ mm}$.

Item No. 016157



ANSCHÜTZ T-Shirt "Oryx" and .300 Win. Mag."*

The high-quality T-shirt made of elastic fabric (95% cotton, 5% elastane) with oryx design on the front and 1782 slogan "Think Powerful" on the back.

Item No.: 016838 "Oryx " Size M

Item No.: 016837

Item No.: 016836 "Oryx" Size XL Item No.: 016239
"Oryx and Think Powerful" Size S

Item No.: 016240
"Oryx and Think Powerful" Size M
Item No.: 016241
"Oryx and Think Powerful" Size L

Item No.: 016242
"Oryx and Think Powerful" Size XL
Item No.: 016243

"Oryx and Think Powerful" Size XXL

*Only as long as available!



ANSCHÜTZ cleaning pad for hunting and sporting guns

Soft and cushioning cleaning pad for hunting and sporting guns. With attractive ANSCHÜTZ 1782 motif. Hem stiched in black, prevents parts such as screws from rolling down during maintenance and cleaning work. The pad can also be used as a mousepad.

Item No.: 016764 English Version





Custom designed ANSCHÜTZ hunting rifles are an investment for generations

ANSCHÜTZ CUSTOM SHOP

INDIVIDUAL MASTERPIECES

Give your ANSCHÜTZ rifle your own personalised mark. A high-quality custom designed hunting rifle is an investment that will be appreciated for generations. We can bring to life your experiences and memories or realize your artistic hunting style on an ANSCHÜTZ rifle. Whether you decide on an extensive deep relief or a restrained fine scroll engraving, or an elegant signature on the trigger guard, let us craft a special piece for you. If you want to extensively embellish a rifle, to create a one-of-a kind item of rare and collectable value. The engravings shown are only examples.

Our Custom Shop will be happy to coordinate your individual wishes with you.














PERFECTION IS TRADITION SINCE 1856



J.G. ANSCHÜTZ GmbH & Co. KG Jagd- und Sportwaffenfabrik

Daimlerstraße 12 · 89079 Ulm / Germany Fon +49 - (0)731 - 40 12 - 0
Fax +49 - (0)731 - 40 12 - 700
www.anschuetz-sport.com
www.facebook.com/OfficialAnschuetz
www.youtube.com/AnschuetzGmbH
www.instagram.com/AnschuetzGmbH



COMMITTED TO PRECISION

SINCE 1856

You can always rely on an ANSCHÜTZ hunting bolt action rifle. Your ANSCHÜTZ rifle will be a reliable companion for you at all times, with unsurpassed precision and functionality. This is what the name ANSCHÜTZ stands for

Numerous Olympic champions, World and European champions as well as over 97% of all biathletes and target shooters in the whole world trust in this ANSCHÜTZ precision. You too can benefit from over 165 years of experience in the field, which has been incorporated into our hunting bolt action rifle, just as you can benefit from the experience of car manufacturers in racing.

For us hunter at ANSCHÜTZ, our products have long been more than just a daily companion through the hunting year - they are the center of our passion.

ANSCHÜTZ wishes you a good hunting.

